
=> file reg FILE 'REGISTRY' ENTERED AT 16:20:06 ON 04 NOV 2005 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2005 American Chemical Society (ACS)

=> d his

FILE 'LREGISTRY' ENTERED AT 15:56:20 ON 04 NOV 2005 L1STR FILE 'REGISTRY' ENTERED AT 16:14:16 ON 04 NOV 2005 L21 S L1 L3 9 S L1 FUL SAV L3 SAN519/A FILE 'CAOLD' ENTERED AT 16:17:04 ON 04 NOV 2005 L40 S L3 FILE 'ZCAPLUS' ENTERED AT 16:17:09 ON 04 NOV 2005 L53 S L3 FILE 'BEILSTEIN' ENTERED AT 16:17:18 ON 04 NOV 2005 L6 0 S L1 L7 0 S L1 FUL FILE 'MARPAT' ENTERED AT 16:17:41 ON 04 NOV 2005 $\Gamma8$ 0 S L3 L9 3 S L3 FUL SAV L9 SAN519A/A

FILE 'REGISTRY' ENTERED AT 16:20:06 ON 04 NOV 2005

=> d 13 que stat L1 STR



NODE ATTRIBUTES:
DEFAULT MLEVEL IS ATOM
DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES: RING(S) ARE ISOLATED OR EMBEDDED NUMBER OF NODES IS 28

STEREO ATTRIBUTES: NONE
L3 9 SEA FILE=REGISTRY SSS FUL L1

100.0% PROCESSED 112 ITERATIONS SEARCH TIME: 00.00.01

9 ANSWERS

```
=> file zcaplus
FILE 'ZCAPLUS' ENTERED AT 16:20:21 ON 04 NOV 2005
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)
=> d 15 1-3 all hitstr
L5
     ANSWER 1 OF 3 ZCAPLUS COPYRIGHT 2005 ACS on STN
ΑN
     2005:179209 ZCAPLUS
DN
     142:241353
ED
     Entered STN: 03 Mar 2005
ΤI
     Succinimide group-containing phosphaphenanthrenes and fire-resistant
     polymers using them
IN
     Liu, Ying-Lin; Chien, Yi-Chuan
     Szu-Li Chong Ruan University, Taiwan
PΑ
SO
     Jpn. Kokai Tokkyo Koho, 15 pp.
     CODEN: JKXXAF
DT
     Patent
LA
     Japanese
IC
     ICM C07F009-6574
     ICS C08K005-5313; C08L101-00; C09K021-12; C09K021-14
CC
     37-6 (Plastics Manufacture and Processing)
     Section cross-reference(s): 29
FAN.CNT 1
     PATENT NO.
                        KIND
                               DATE
                                          APPLICATION NO.
                                                                  DATE
                        ---
                                _____
PΙ
     JP 2005053857
                     A2
                               20050303 JP 2003-287741
                                                                   200308
                                                                   06
PRAI JP 2003-287741
                               20030806
CLASS
 PATENT NO.
                CLASS
                       PATENT FAMILY CLASSIFICATION CODES
                ____
JP 2005053857
                ICM
                       C07F009-6574
                       C08K005-5313; C08L101-00; C09K021-12; C09K021-14
                ICS
JP 2005053857 FTERM
                       4H028/AA40; 4H028/AA48; 4H050/AA01; 4H050/AA03;
                       4H050/AB48; 4J002/AA001; 4J002/BB031;
                       4J002/BB121; 4J002/BC031; 4J002/BD031;
                       4J002/BD131; 4J002/BG061; 4J002/BN151;
                       4J002/CB001; 4J002/CC011; 4J002/CC041;
                       4J002/CC181; 4J002/CC211; 4J002/CD051;
```

4J002/CF051; 4J002/CF071; 4J002/CF211; 4J002/CG001; 4J002/CH001; 4J002/CH071;

4J002/CL001; 4J002/CP001; 4J002/EW136; 4J002/FD13

OS MARPAT 142:241353

$$R^{3}$$
 R^{1}
 R^{2}
 R^{2}
 R^{2}
 R^{3}
 R^{4}
 R^{4

The polymers are manufd. by mixing or reaction of P compds. I (R1-R4 = H, C1-4 alkyl; X = bond, CH2, CMe2, O, S, SO2, CO2, O2C; Y = H, C1-4 alkyl, OH, NH2, NO2, CO2H, CHO, glycidyloxy; m = 0-2; n = 1-4) with polymers or compds. Thus, 9,10-dihydro-9-oxa-10-phosphaphenanthrene 10-oxide was treated with 4-maleimidophenol and etherified with epichlorohydrin to give I (R1-R4 = H, m = 0, n = 1, Y = glycidyloxy), which was mixed with BE 188 (bisphenol A epoxy resin) to give a fire-resistant resin.

Ι

ST phosphaphenanthrene succinimide fireproofing epoxy resin; maleimidophenol phosphaphenanthrene adduct fireproofing polymer

IT Fire-resistant materials

Fireproofing agents

(manuf. of succinimide group-contg. phosphaphenanthrenes as fireproofing agents for polymers)

IT Epoxy resins, preparation

Polyamides, preparation

(manuf. of succinimide group-contg. phosphaphenanthrenes as fireproofing agents for polymers)

IT Polycarbonates, uses

(manuf. of succinimide group-contg. phosphaphenanthrenes as fireproofing agents for polymers)

IT Polyesters, uses

(manuf. of succinimide group-contg. phosphaphenanthrenes as fireproofing agents for polymers)

IT Polyoxyphenylenes

(manuf. of succinimide group-contg. phosphaphenanthrenes as fireproofing agents for polymers)

IT 26062-94-2, Poly(butylene terephthalate)
(assumed monomers; manuf. of succinimide group-contg.

phosphaphenanthrenes as fireproofing agents for polymers) IT824933-50-8P 824933-51-9P 824933-52-0P 824933-53-1P (manuf. of succinimide group-contg. phosphaphenanthrenes as fireproofing agents for polymers) ΙT 155016-26-5P (manuf. of succinimide group-contg. phosphaphenanthrenes as fireproofing agents for polymers) ΙT 824933-47-3P (manuf. of succinimide group-contg. phosphaphenanthrenes as fireproofing agents for polymers) IT 824933-48-4P 824933-49-5P (manuf. of succinimide group-contg. phosphaphenanthrenes as fireproofing agents for polymers) IT 9003-53-6, Polystyrene 9003-56-9, ABS resin 24968-12-5, 25038-59-9, uses Poly(butylene terephthalate) (manuf. of succinimide group-contg. phosphaphenanthrenes as fireproofing agents for polymers) ΙT 106-89-8, Epichlorohydrin, reactions 941-69-5, N-Phenylmaleimide 7300-91-6, 4-Maleimidophenol 35948-25-5, 9,10-Dihydro-9-oxa-10phosphaphenanthrene 10-oxide 55738-70-0, 3-Maleimido-1,5benzenedicarboxylic acid (manuf. of succinimide group-contg. phosphaphenanthrenes as fireproofing agents for polymers) ΙT 824933-50-8P 824933-51-9P 824933-52-0P 824933-53-1P (manuf. of succinimide group-contq. phosphaphenanthrenes as fireproofing agents for polymers) RN 824933-50-8 ZCAPLUS CN 2,5-Pyrrolidinedione, 3-(6-oxido-6H-dibenzo[c,e][1,2]oxaphosphorin-6yl)-1-[4-(oxiranylmethoxy)phenyl]-, polymer with (chloromethyl)oxirane and 4,4'-(1-methylethylidene)bis[phenol] (9CI) (CA INDEX NAME)

CM 1

CRN 824933-49-5 CMF C25 H20 N O6 P

CM 2

CRN 106-89-8 CMF C3 H5 C1 O

CM 3

CRN 80-05-7 CMF C15 H16 O2

RN 824933-51-9 ZCAPLUS

CN 1,3-Benzenedicarboxylic acid, 5-[3-(6-oxido-6H-dibenzo[c,e][1,2]oxaphosphorin-6-yl)-2,5-dioxo-1-pyrrolidinyl]-, polymer with (chloromethyl)oxirane and 4,4'-(1-methylethylidene)bis[phenol] (9CI) (CA INDEX NAME)

CM 1

CRN 824933-48-4

CMF C24 H16 N O8 P

CM 2

CRN 106-89-8 CMF C3 H5 Cl O

CM 3

CRN 80-05-7 CMF C15 H16 O2

RN 824933-52-0 ZCAPLUS

CN 1,3-Benzenedicarboxylic acid, 5-[3-(6-oxido-6H-dibenzo[c,e][1,2]oxaphosphorin-6-yl)-2,5-dioxo-1-pyrrolidinyl]-, polymer with 4,4'-methylenebis[benzenamine] (9CI) (CA INDEX NAME)

CM 1

CRN 824933-48-4 CMF C24 H16 N O8 P

CM 2

CRN 101-77-9 CMF C13 H14 N2

$$H_2N$$
 CH_2 NH_2

RN 824933-53-1 ZCAPLUS

CN Poly[iminocarbonyl[5-[3-(6-oxido-6H-dibenz[c,e][1,2]oxaphosphorin-6-yl)-2,5-dioxo-1-pyrrolidinyl]-1,3-phenylene]carbonylimino-1,4-phenylenemethylene-1,4-phenylene] (9CI) (CA INDEX NAME)

PAGE 1-A

PAGE 1-B

IT 155016-26-5P

J'n

(manuf. of succinimide group-contg. phosphaphenanthrenes as fireproofing agents for polymers)

RN 155016-26-5 ZCAPLUS

CN 2,5-Pyrrolidinedione, 3-(6-oxido-6H-dibenz[c,e][1,2]oxaphosphorin-6-yl)-1-phenyl- (9CI) (CA INDEX NAME)

IT 824933-47-3P

(manuf. of succinimide group-contg. phosphaphenanthrenes as fireproofing agents for polymers)

RN 824933-47-3 ZCAPLUS

CN 2,5-Pyrrolidinedione, 1-(4-hydroxyphenyl)-3-(6-oxido-6H-dibenz[c,e][1,2]oxaphosphorin-6-yl)- (9CI) (CA INDEX NAME)

IT 824933-48-4P 824933-49-5P

(manuf. of succinimide group-contg. phosphaphenanthrenes as fireproofing agents for polymers)

RN 824933-48-4 ZCAPLUS

CN 1,3-Benzenedicarboxylic acid, 5-[3-(6-oxido-6H-dibenz[c,e][1,2]oxaphosphorin-6-yl)-2,5-dioxo-1-pyrrolidinyl]- (9CI) (CA INDEX NAME)

RN 824933-49-5 ZCAPLUS

CN 2,5-Pyrrolidinedione, 3-(6-oxido-6H-dibenz[c,e][1,2]oxaphosphorin-6-yl)-1-[4-(oxiranylmethoxy)phenyl]- (9CI) (CA INDEX NAME)

OS

GΙ

MARPAT 142:135660

```
L5
     ANSWER 2 OF 3 ZCAPLUS COPYRIGHT 2005 ACS on STN
     2005:59996 ZCAPLUS
ΑN
DN
     142:135660
     Entered STN: 21 Jan 2005
ED
ΤI
     Phosphorus-containing compound for use as flame retardant and flame
     retardant resin
     Liu, Ying-ling; Chiu, Yie-chan
ΙN
     Chung Yuan Christian University, Taiwan
PA
SO
     U.S. Pat. Appl. Publ., 5 pp.
     CODEN: USXXCO
     Patent
DT
LA
     English
IC
     ICM C09K021-00
     ICS C08K005-34; C08K005-49
INCL 524104000; 252609000; 524116000
CC
     37-6 (Plastics Manufacture and Processing)
FAN.CNT 1
     PATENT NO.
                         KIND
                                DATE
                                            APPLICATION NO.
                                                                   DATE
     ______
PΙ
     US 2005014873
                         Α1
                                20050120
                                           US 2003-621519
                                                                   200307
                                                                   18
PRAI US 2003-621519
                                20030718
CLASS
 PATENT NO.
                CLASS
                        PATENT FAMILY CLASSIFICATION CODES
 ______
                ----
US 2005014873
                ICM
                        C09K021-00
                ICS
                       C08K005-34; C08K005-49
                        524104000; 252609000; 524116000
                INCL
US 2005014873
                NCL
                        524/104.000
                ECLA
                       C09K021/12
```

$$R^{3}$$
 R^{2}
 R^{2}
 R^{2}
 R^{3}
 R^{2}
 R^{3}
 R^{2}
 R^{3}
 R^{4}
 R^{2}
 R^{2}
 R^{3}
 R^{4}
 R^{2}
 R^{2}
 R^{3}
 R^{4}
 R^{3}
 R^{4}
 R^{2}
 R^{3}
 R^{4}
 R^{3}
 R^{4}
 R^{4}
 R^{3}
 R^{4}
 R^{4

AB A phosphorus contg. compd. I is disclosed, which can be blended a resin or reacted with a compd. to form a flame retardant resin: wherein R1-R4 independently are H or C1-C4 alkyl; X is a single bond, -CH2-, -C(CH3)2-,-COO-, -OCO-, -O-, -S-, -SO2-; Y is H, C1-C4 alkyl, -OH, -NH2, -NO2, -COOH, -CHO, or -OCH2CHOCH2; m is integer of 0-2; and n is an integer of 1-4. Thus, 3-(6-oxido-6H-dibenz[c,e][1,2]oxaphosphorin-6-yl)-1-phenyl-2,5-pyrrolidinedione was prepd. by reacting 9,10-dihydro-9-oxa-10-phosphaphenanthren-10-oxide with N-Ph maleimide at 180.degree..

Ι

ST phosphorus compd flame retardant resin

IT Fire-resistant materials

Fireproofing agents

(phosphorus-contg. compd. for use as flame retardant and flame retardant resin)

IT Polycarbonates, uses

Polyesters, uses

Polyoxyphenylenes

(phosphorus-contg. compd. for use as flame retardant and flame retardant resin)

IT Epoxy resins, preparation

Polyamides, preparation

(phosphorus-contg.; phosphorus-contg. compd. for use as flame retardant and flame retardant resin)

IT 26062-94-2

(assumed monomers; phosphorus-contg. compd. for use as flame retardant and flame retardant resin)

IT 155016-26-5P 824933-47-3P 824933-48-4P

824933-49-5P 824933-50-8P 824933-51-9P

824933-52-0P 824933-53-1P

(phosphorus-contg. compd. for use as flame retardant and flame

retardant resin)

IT 9003-53-6, Polystyrene 9003-56-9, ABS 24968-12-5, PBT 25038-59-9, PET polymer, uses

(phosphorus-contg. compd. for use as flame retardant and flame retardant resin)

IT 7300-91-6, 4-Maleimidophenol 55738-70-0, 3-Maleimido-1,5-benzoic diacid

(phosphorus-contg. compd. for use as flame retardant and flame retardant resin)

IT 106-89-8, Epichlorohydrin, reactions 941-69-5, N-Phenyl maleimide 35948-25-5, 9,10-Dihydro-9-oxa-10-phosphaphenanthren-10-oxide (staring material; phosphorus-contg. compd. for use as flame retardant and flame retardant resin)

IT 155016-26-5P 824933-47-3P 824933-48-4P 824933-49-5P 824933-50-8P 824933-51-9P 824933-52-0P 824933-53-1P

(phosphorus-contg. compd. for use as flame retardant and flame retardant resin)

RN 155016-26-5 ZCAPLUS

CN 2,5-Pyrrolidinedione, 3-(6-oxido-6H-dibenz[c,e][1,2]oxaphosphorin-6-yl)-1-phenyl- (9CI) (CA INDEX NAME)

RN 824933-47-3 ZCAPLUS

CN 2,5-Pyrrolidinedione, 1-(4-hydroxyphenyl)-3-(6-oxido-6H-dibenz[c,e][1,2]oxaphosphorin-6-yl)- (9CI) (CA INDEX NAME)

RN 824933-48-4 ZCAPLUS

CN 1,3-Benzenedicarboxylic acid, 5-[3-(6-oxido-6H-dibenz[c,e][1,2]oxaphosphorin-6-yl)-2,5-dioxo-1-pyrrolidinyl]- (9CI) (CA INDEX NAME)

RN 824933-49-5 ZCAPLUS

CN 2,5-Pyrrolidinedione, 3-(6-oxido-6H-dibenz[c,e][1,2]oxaphosphorin-6-yl)-1-[4-(oxiranylmethoxy)phenyl]- (9CI) (CA INDEX NAME)

RN 824933-50-8 ZCAPLUS

CN 2,5-Pyrrolidinedione, 3-(6-oxido-6H-dibenzo[c,e][1,2]oxaphosphorin-6-yl)-1-[4-(oxiranylmethoxy)phenyl]-, polymer with (chloromethyl)oxirane and 4,4'-(1-methylethylidene)bis[phenol] (9CI) (CA INDEX NAME)

CM 1

CRN 824933-49-5 CMF C25 H20 N O6 P

CM 2

CRN 106-89-8 CMF C3 H5 C1 O

CM 3

CRN 80-05-7 CMF C15 H16 O2

RN 824933-51-9 ZCAPLUS

CN 1,3-Benzenedicarboxylic acid, 5-[3-(6-oxido-6H-dibenzo[c,e][1,2]oxaphosphorin-6-yl)-2,5-dioxo-1-pyrrolidinyl]-, polymer with (chloromethyl)oxirane and 4,4'-(1-methylethylidene)bis[phenol] (9CI) (CA INDEX NAME)

CM 1

CRN 824933-48-4 CMF C24 H16 N O8 P

CM 2

CRN 106-89-8 CMF C3 H5 C1 O

CM 3

CRN 80-05-7

CMF C15 H16 O2

RN 824933-52-0 ZCAPLUS

CN 1,3-Benzenedicarboxylic acid, 5-[3-(6-oxido-6H-dibenzo[c,e][1,2]oxaphosphorin-6-yl)-2,5-dioxo-1-pyrrolidinyl]-, polymer with 4,4'-methylenebis[benzenamine] (9CI) (CA INDEX NAME)

CM 1

CRN 824933-48-4 CMF C24 H16 N O8 P

CM 2

CRN 101-77-9 CMF C13 H14 N2

RN 824933-53-1 ZCAPLUS

CN Poly[iminocarbonyl[5-[3-(6-oxido-6H-dibenz[c,e][1,2]oxaphosphorin-6-

yl)-2,5-dioxo-1-pyrrolidinyl]-1,3-phenylene]carbonylimino-1,4-phenylenemethylene-1,4-phenylene] (9CI) (CA INDEX NAME)

PAGE 1-A

PAGE 1-B

L5 ANSWER 3 OF 3 ZCAPLUS COPYRIGHT 2005 ACS on STN

AN 1994:300239 ZCAPLUS

DN 120:300239

ED Entered STN: 11 Jun 1994

TI Phosphorus-containing succinimide derivatives and their manufacture and uses as fireproofing agents

IN Saito, Toranosuke; Takaguchi, Masayuki; Fujioka, Shinzo

PA Sanko Kaihatsu Kagaku Kenk, Japan

SO Jpn. Kokai Tokkyo Koho, 6 pp. CODEN: JKXXAF

DT Patent

LA Japanese

IC ICM C07F009-6584 ICS C08K005-5313; C09K021-12 CC 37-6 (Plastics Manufacture and Processing) Section cross-reference(s): 27, 28, 29

FAN.CNT 1

| | PA' | TENT NO. | | KIND | DATE | APPLICATION NO. | DATE | |
|--------------|----------------|--------------|-------|----------|--------------|------------------|--------------|--|
| ΡΙ | JP | 05301883 | | A2 | 19931116 | JP 1992-129570 | 199204 22 | |
| PRAI CLAS | JP 1992-129570 | | | 19920422 | | 22 | | |
| PATI | | NO. | CLASS | PATENT | FAMILY CLASS | SIFICATION CODES | | |

JP 05301883 ICM C07F009-6584

ICS C08K005-5313; C09K021-12

OS MARPAT 120:300239

GΙ

$$X^3$$
 X^2
 X^1
 X^3
 X^2
 X^1
 X^3
 X^2
 X^1
 X^4
 X^5
 X^6
 X^7
 X^8
 X^8

- AB Title compds. I (R = alkyl, cycloalkyl, aryl; X1-8 = H, alkyl, cycloalkyl, aryl, alkylaryl) are manufd. by reacting II with maleimides. Thus, II (X1-8 = H) was heated with cyclohexyl maleimide at .apprx.150.degree. and then heated at 180-190.degree. to give I (R = cyclohexyl, X1-8 = H). A mixt. of TR 1400BH (PET) 94, Irganox 0.1, and I 6 parts showed good fire resistance and reduced amt. of harmful gases when burned.
- ST phosphorus contg succinimide fireproofing plastic; addn dihydrooxaphosphaphenanthrene oxide maleimide
- IT Fireproofing agents

(phosphorus-contq. succinimides, for polymers)

IT 25038-59-9, Poly(ethylene terephthalate), miscellaneous

(fireproofing agents for, phosphorus-contg. succinimides as)

IT 155016-25-4P 155016-26-5P

(prepn. of, fireproofing agents for polymers)

IT 941-69-5 1631-25-0, N-Cyclohexylmaleimide

(reaction of, with dihydrooxaphosphaphenanthrene oxide)

IT 35948-25-5

(reaction of, with maleimides)

IT 155016-25-4P 155016-26-5P

(prepn. of, fireproofing agents for polymers)

RN 155016-25-4 ZCAPLUS

CN 2,5-Pyrrolidinedione, 1-cyclohexyl-3-(6-oxido-6H-

dibenz[c,e][1,2]oxaphosphorin-6-yl)- (9CI) (CA INDEX NAME)

RN 155016-26-5 ZCAPLUS

CN 2,5-Pyrrolidinedione, 3-(6-oxido-6H-dibenz[c,e][1,2]oxaphosphorin-6-yl)-1-phenyl- (9CI) (CA INDEX NAME)

=> file beilstein


FILE 'BEILSTEIN' ENTERED AT 16:20:58 ON 04 NOV 2005

COPYRIGHT (c) 2005 Beilstein-Institut zur Foerderung der Chemischen Wissen schaften

licensed to Beilstein GmbH and MDL Information Systems GmbH FILE LAST UPDATED ON OCTOBER 10, 2005

FILE COVERS 1771 TO 2005.

*** FILE CONTAINS 9,363,954 SUBSTANCES ***



NODE ATTRIBUTES:
DEFAULT MLEVEL IS ATOM
DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES: RING(S) ARE ISOLATED OR EMBEDDED NUMBER OF NODES IS 28 STEREO ATTRIBUTES: NONE

L7 0 SEA FILE=BEILSTEIN SSS FUL L1

100.0% PROCESSED

1 ITERATIONS

0 ANSWERS

SEARCH TIME: 00.00.05

=> file marpat

FILE 'MARPAT' ENTERED AT 16:22:29 ON 04 NOV 2005 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2005 American Chemical Society (ACS)

FILE CONTENT: 1988-PRESENT (VOL 143 ISS 18) (20051028/ED)

MOST RECENT CITATIONS FOR PATENTS FROM FIVE MAJOR ISSUING AGENCIES (COVERAGE TO THESE DATES IS NOT COMPLETE):

US 6924313 02 AUG 2005

DE 1020040544 04 AUG 2005


EP 1568694 31 AUG 2005

JP 2005213127 11 AUG 2005

WO 2005090358 29 SEP 2005

=> d 19 que stat

L1 STR



NODE ATTRIBUTES:
DEFAULT MLEVEL IS ATOM
DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES: RING(S) ARE ISOLATED OR EMBEDDED NUMBER OF NODES IS 28

STEREO ATTRIBUTES: NONE L9 3 SEA FILE=MARPAT SSS FUL L1

100.0% PROCESSED 5 ITERATIONS 3 ANSWERS SEARCH TIME: 00.00.01

=> d 19 1-3 cbib abs hit

L9 ANSWER 1 OF 3 MARPAT COPYRIGHT 2005 ACS on STN
142:241353 Succinimide group-containing phosphaphenanthrenes and
fire-resistant polymers using them. Liu, Ying-Lin; Chien, Yi-Chuan
(Szu-Li Chong Ruan University, Taiwan). Jpn. Kokai Tokkyo Koho JP
2005053857 A2 20050303, 15 pp. (Japanese). CODEN: JKXXAF.
APPLICATION: JP 2003-287741 20030806.

GI

$$R^{4}$$
 R^{3}
 R^{1}
 R^{1}
 R^{2}
 R^{2}
 R^{2}
 R^{2}
 R^{3}
 R^{4}
 R^{4}
 R^{3}
 R^{4}
 R^{4

The polymers are manufd. by mixing or reaction of P compds. I (R1-R4 = H, C1-4 alkyl; X = bond, CH2, CMe2, O, S, SO2, CO2, O2C; Y = H, C1-4 alkyl, OH, NH2, NO2, CO2H, CHO, glycidyloxy; m = 0-2; n = 1-4) with polymers or compds. Thus, 9,10-dihydro-9-oxa-10-phosphaphenanthrene 10-oxide was treated with 4-maleimidophenol and etherified with epichlorohydrin to give I (R1-R4 = H, m = 0, n = 1, Y = glycidyloxy), which was mixed with BE 188 (bisphenol A epoxy resin) to give a fire-resistant resin.

Ι

MSTR 1

$$G3 = (0-2) 33-3 34-2$$

$$G4 = 40-3 39-34 / 46-3 44-34 / 52-3 49-34$$

Patent location:

claim 1

L9 ANSWER 2 OF 3 MARPAT COPYRIGHT 2005 ACS on STN 142:135660 Phosphorus-containing compound for use as flame retardant and flame retardant resin. Liu, Ying-ling; Chiu, Yie-chan (Chung Yuan Christian University, Taiwan). U.S. Pat. Appl. Publ. US 2005014873 Al 20050120, 5 pp. (English). CODEN: USXXCO. APPLICATION: US 2003-621519 20030718.

GI

$$R^4$$
 R^3
 R^2
 R^2
 R^3
 R^4
 R^3
 R^4
 R^4
 R^3
 R^4
 R^4
 R^3
 R^4
 R^4

AB A phosphorus contg. compd. I is disclosed, which can be blended a resin or reacted with a compd. to form a flame retardant resin: wherein R1-R4 independently are H or C1-C4 alkyl; X is a single bond, -CH2-, -C(CH3)2-,-COO-, -OCO-, -O-, -S-, -SO2-; Y is H, C1-C4 alkyl, -OH, -NH2, -NO2, -COOH, -CHO, or -OCH2CHOCH2; m is integer of 0-2; and n is an integer of 1-4. Thus, 3-(6-oxido-6H-dibenz[c,e][1,2]oxaphosphorin-6-yl)-1-phenyl-2,5-pyrrolidinedione was prepd. by reacting 9,10-dihydro-9-oxa-10-phosphaphenanthren-10-oxide with N-Ph maleimide at 180.degree.

MSTR 1

G3 = 2 or more H / alkyl
$$G4 = (0-2) 52-10 53-51$$

$$G7 = 68-10 \ 67-53 \ / \ 75-10 \ 73-53 \ / \ 82-10 \ 79-53$$

Patent location:

claim 1

L9 ANSWER 3 OF 3 MARPAT COPYRIGHT 2005 ACS on STN
120:300239 Phosphorus-containing succinimide derivatives and their manufacture and uses as fireproofing agents. Saito, Toranosuke; Takaguchi, Masayuki; Fujioka, Shinzo (Sanko Kaihatsu Kagaku Kenk, Japan). Jpn. Kokai Tokkyo Koho JP 05301883 A2 19931116 Heisei, 6 pp. (Japanese). CODEN: JKXXAF. APPLICATION: JP 1992-129570 19920422.

GI

AB Title compds. I (R = alkyl, cycloalkyl, aryl; X1-8 = H, alkyl, cycloalkyl, aryl, alkylaryl) are manufd. by reacting II with maleimides. Thus, II (X1-8 = H) was heated with cyclohexyl maleimide at .apprx.150.degree. and then heated at 180-190.degree. to give I (R = cyclohexyl, X1-8 = H). A mixt. of TR 1400BH (PET) 94, Irganox 0.1, and I 6 parts showed good fire resistance and reduced amt. of harmful gases when burned.

MSTR 1

$$Me$$
 $G4$
 Me
 Me
 Me
 $t-Bu$
 $Bu-t$

```
G2 = H / alkyl (opt. substd.) /
cycloalkyl (opt. substd.) / aryl (opt. substd. by G3)

G3 = alkyl (opt. substd.) / R

G4 = Me / Cl / Bu-t

G5 = Me / Cl / Bu-t

Patent location: claim 1
```